

Ab Lager sofort lieferbar !!

Sektionaltor Federn inkl. Köpfen & pulverbeschichtet
& kugelgestrahlt

Doorsprings compleet with plugs & shot peened
& powder coated



Artikel Nr. Alcomex	DI	d	Lo	Wickel Richtung	Welle	Gewicht
K05104500380L	50,8	4,5	380	L	1"	1,83 kg/pst
K05104500402L	50,8	4,5	402	L	1"	1,94 kg/pst
K05104750412R	50,8	4,8	412	R	1"	2,11 kg/pst
K05104750435L	50,8	4,8	435	L	1"	2,22 kg/pst
K05104750435R	50,8	4,8	435	R	1"	2,22 kg/pst
K05104750487L	50,8	4,8	487	L	1"	2,49 kg/pst
K05104750487R	50,8	4,8	487	R	1"	2,49 kg/pst
K05105000440L	50,8	5,0	440	L	1"	2,38 kg/pst
K05105000440R	50,8	5,0	440	R	1"	2,38 kg/pst
K05105000465L	50,8	5,0	465	L	1"	2,51 kg/pst
K05105000492L	50,8	5,0	492	L	1"	2,66 kg/pst
K05105000492R	50,8	5,0	492	R	1"	2,66 kg/pst
K05105000521R	50,8	5,0	521	R	1"	2,82 kg/pst
K05105000551L	50,8	5,0	551	L	1"	2,98 kg/pst
K05105000551R	50,8	5,0	551	R	1"	2,98 kg/pst
K05105000617L	50,8	5,0	617	L	1"	3,33 kg/pst
K05105000617R	50,8	5,0	617	R	1"	3,33 kg/pst
K05105250493L	50,8	5,3	493	L	1"	2,81 kg/pst
K05105250493R	50,8	5,3	493	R	1"	2,81 kg/pst
K05105250520L	50,8	5,3	520	L	1"	2,96 kg/pst
K05105250550R	50,8	5,3	550	R	1"	3,13 kg/pst
K05105250582L	50,8	5,3	582	L	1"	3,32 kg/pst
K05105250616L	50,8	5,3	616	L	1"	3,51 kg/pst
K05105250653R	50,8	5,3	653	R	1"	3,72 kg/pst
K05105250691R	50,8	5,3	691	R	1"	3,94 kg/pst
K05105250691L	50,8	5,3	691	L	1"	3,94 kg/pst
K05105500544L	50,8	5,5	544	L	1"	3,26 kg/pst
K05105500544R	50,8	5,5	544	R	1"	3,26 kg/pst
K05105500576R	50,8	5,5	576	R	1"	3,45 kg/pst
K05105500609L	50,8	5,5	609	L	1"	3,65 kg/pst
K05105500609R	50,8	5,5	609	R	1"	3,65 kg/pst
K05105500645L	50,8	5,5	645	L	1"	3,87 kg/pst
K05105500683L	50,8	5,5	683	L	1"	4,10 kg/pst
K05105500683R	50,8	5,5	683	R	1"	4,10 kg/pst
K05105500723L	50,8	5,5	723	L	1"	4,34 kg/pst
K05105500766R	50,8	5,5	766	R	1"	4,59 kg/pst
K05105500766L	50,8	5,5	766	L	1"	4,59 kg/pst
K05106000648L	50,8	6,0	648	L	1"	4,28 kg/pst
K05106000648R	50,8	6,0	648	R	1"	4,28 kg/pst
K05106000686R	50,8	6,0	686	R	1"	4,53 kg/pst



K05106000726L	50,8	6,0	726	L	1"	4,79 kg/pst
K05106000726R	50,8	6,0	726	R	1"	4,79 kg/pst
K05106000814L	50,8	6,0	814	L	1"	5,37 kg/pst
K05106000814R	50,8	6,0	814	R	1"	5,37 kg/pst
K05106000862R	50,8	6,0	862	R	1"	5,69 kg/pst
K05106000914L	50,8	6,0	914	L	1"	6,03 kg/pst
K05106000914R	50,8	6,0	914	R	1"	6,03 kg/pst
K05106000968R	50,8	6,0	968	R	1"	6,39 kg/pst
K05106000968L	50,8	6,0	968	L	1"	6,39 kg/pst
K05106250985L	50,8	6,3	985	L	1"	6,80 kg/pst
K05106500747L	50,8	6,5	747	L	1"	5,39 kg/pst
K05106500837L	50,8	6,5	837	L	1"	6,04 kg/pst
K05106500837R	50,8	6,5	837	R	1"	6,04 kg/pst
K05106500887R	50,8	6,5	887	R	1"	6,40 kg/pst
K05106500939L	50,8	6,5	939	L	1"	6,77 kg/pst
K05106500939R	50,8	6,5	939	R	1"	6,77 kg/pst
K05106500995R	50,8	6,5	995	R	1"	7,18 kg/pst
K05106501055L	50,8	6,5	1055	L	1"	7,61 kg/pst
K05106501055R	50,8	6,5	1055	R	1"	7,61 kg/pst
K05107001054L	50,8	7,0	1054	L	1"	8,26 kg/pst
K05107000995R	50,8	7,0	995	R	1"	7,80 kg/pst
K05107001184L	50,8	7,0	1184	L	1"	9,28 kg/pst
K05107001184R	50,8	7,0	1184	R	1"	9,28 kg/pst
K05107001255R	50,8	7,0	1255	R	1"	9,84 kg/pst
K05107001330L	50,8	7,0	1330	L	1"	10,42 kg/pst
K06705000398L	66,68	5,0	398	L	1"	2,76 kg/pst
K06705000398R	66,68	5,0	398	R	1"	2,76 kg/pst
K06705000441L	66,68	5,0	441	L	1"	3,06 kg/pst
K06705000441R	66,68	5,0	441	R	1"	3,06 kg/pst
K06705000490L	66,68	5,0	490	L	1"	3,40 kg/pst
K06705000490R	66,68	5,0	490	R	1"	3,40 kg/pst
K06705500501L	66,68	5,5	501	L	1"	3,85 kg/pst
K06705500501R	66,68	5,5	501	R	1"	3,85 kg/pst
K06705500527L	66,68	5,5	527	L	1"	4,05 kg/pst
K06705500527R	66,68	5,5	527	R	1"	4,05 kg/pst
K06705500556L	66,68	5,5	556	L	1"	4,27 kg/pst
K06705500556R	66,68	5,5	556	R	1"	4,27 kg/pst
K06705500585L	66,68	5,5	585	L	1"	4,50 kg/pst
K06705500585R	66,68	5,5	585	R	1"	4,50 kg/pst



K06705500617L	66,68	5,5	617	L	1"	4,74 kg/pst
K06705500617R	66,68	5,5	617	R	1"	4,74 kg/pst
K06705500650L	66,68	5,5	650	L	1"	5,00 kg/pst
K06705500650R	66,68	5,5	650	R	1"	5,00 kg/pst
K06705500686L	66,68	5,5	686	L	1"	5,27 kg/pst
K06705500686R	66,68	5,5	686	R	1"	5,27 kg/pst
K06706000639L	66,68	6,0	639	L	1"	5,40 kg/pst
K06706000639R	66,68	6,0	639	R	1"	5,40 kg/pst
K06706000674L	66,68	6,0	674	L	1"	5,69 kg/pst
K06706000674R	66,68	6,0	674	R	1"	5,69 kg/pst
K06706000710L	66,68	6,0	710	L	1"	6,00 kg/pst
K06706000710R	66,68	6,0	710	R	1"	6,00 kg/pst
K06706000749L	66,68	6,0	749	L	1"	6,33 kg/pst
K06706000749R	66,68	6,0	749	R	1"	6,33 kg/pst
K06706000790L	66,68	6,0	790	L	1"	6,67 kg/pst
K06706000790R	66,68	6,0	790	R	1"	6,67 kg/pst
K06706000833L	66,68	6,0	833	L	1"	7,04 kg/pst
K06706000833R	66,68	6,0	833	R	1"	7,04 kg/pst
K06706000883L	66,68	6,0	883	L	1"	7,46 kg/pst
K06706000927L	66,68	6,0	927	L	1"	7,83 kg/pst
K06706000927R	66,68	6,0	927	R	1"	7,83 kg/pst
K06706250695L	66,68	6,3	695	L	1"	6,14 kg/pst
K06706250695R	66,68	6,3	695	R	1"	6,14 kg/pst
K06706250733L	66,68	6,3	733	L	1"	6,47 kg/pst
K06706250733R	66,68	6,3	733	R	1"	6,47 kg/pst
K06706250773L	66,68	6,3	773	L	1"	6,82 kg/pst
K06706250773R	66,68	6,3	773	R	1"	6,82 kg/pst
K06706250815L	66,68	6,3	815	L	1"	7,19 kg/pst
K06706250815R	66,68	6,3	815	R	1"	7,19 kg/pst
K06706250860L	66,68	6,3	860	L	1"	7,59 kg/pst
K06706250860R	66,68	6,3	860	R	1"	7,59 kg/pst
K06706250907L	66,68	6,3	907	L	1"	8,01 kg/pst
K06706250907R	66,68	6,3	907	R	1"	8,01 kg/pst
K06706251010L	66,68	6,3	1010	L	1"	8,92 kg/pst
K06706251010R	66,68	6,3	1010	R	1"	8,92 kg/pst
K06706500791L	66,68	6,5	791	L	1"	7,29 kg/pst
K06706500791R	66,68	6,5	791	R	1"	7,29 kg/pst
K06706500834L	66,68	6,5	834	L	1"	7,68 kg/pst
K06706500834R	66,68	6,5	834	R	1"	7,68 kg/pst
K06706500880L	66,68	6,5	880	L	1"	8,11 kg/pst
K06706500880R	66,68	6,5	880	R	1"	8,11 kg/pst



K06706500928L	66,68	6,5	928	L	1"	8,55 kg/pst
K06706500928R	66,68	6,5	928	R	1"	8,55 kg/pst
K06706500979L	66,68	6,5	979	L	1"	9,02 kg/pst
K06706500979R	66,68	6,5	979	R	1"	9,02 kg/pst
K06706501091L	66,68	6,5	1091	L	1"	10,05 kg/pst
K06706501091R	66,68	6,5	1091	R	1"	10,05 kg/pst
K06707000857L	66,68	7,0	857	L	1"	8,56 kg/pst
K06707000857R	66,68	7,0	857	R	1"	8,56 kg/pst
K06707000904L	66,68	7,0	904	L	1"	9,03 kg/pst
K06707000904R	66,68	7,0	904	R	1"	9,03 kg/pst
K06707000953L	66,68	7,0	953	L	1"	9,52 kg/pst
K06707000953R	66,68	7,0	953	R	1"	9,52 kg/pst
K06707001006L	66,68	7,0	1006	L	1"	10,05 kg/pst
K06707001006R	66,68	7,0	1006	R	1"	10,05 kg/pst
K06707001061L	66,68	7,0	1061	L	1"	10,60 kg/pst
K06707001061R	66,68	7,0	1061	R	1"	10,60 kg/pst
K06707001120L	66,68	7,0	1120	L	1"	11,19 kg/pst
K06707001120R	66,68	7,0	1120	R	1"	11,19 kg/pst
K06707001182L	66,68	7,0	1182	L	1"	11,81 kg/pst
K06707001182R	66,68	7,0	1182	R	1"	11,81 kg/pst
K06707501184L	66,68	7,5	1184	L	1"	12,76 kg/pst
K06707501184R	66,68	7,5	1184	R	1"	12,76 kg/pst
K06707501249L	66,68	7,5	1249	L	1"	13,46 kg/pst
K06707501249R	66,68	7,5	1249	R	1"	13,46 kg/pst
K06707501319L	66,68	7,5	1319	L	1"	14,21 kg/pst
K06707501319R	66,68	7,5	1319	R	1"	14,21 kg/pst
K09505500321L	95,25	5,5	321	L	1"	3,45 kg/pst
K09505500321R	95,25	5,5	321	R	1"	3,45 kg/pst
K09505500500L	95,25	5,5	500	L	1"	5,37 kg/pst
K09505500500R	95,25	5,5	500	R	1"	5,37 kg/pst
K09505500700L	95,25	5,5	700	L	1"	7,51 kg/pst
K09505500700R	95,25	5,5	700	R	1"	7,51 kg/pst
K09506000389L	95,25	6,0	389	L	1"	4,58 kg/pst
K09506000389R	95,25	6,0	389	R	1"	4,58 kg/pst
K09506000410L	95,25	6,0	410	L	1"	4,82 kg/pst
K09506000432L	95,25	6,0	432	L	1"	5,08 kg/pst
K09506000432R	95,25	6,0	432	R	1"	5,08 kg/pst
K09506000479L	95,25	6,0	479	L	1"	5,64 kg/pst
K09506000479R	95,25	6,0	479	R	1"	5,64 kg/pst
K09506000700L	95,25	6,0	700	L	1"	8,24 kg/pst
K09506000700R	95,25	6,0	700	R	1"	8,24 kg/pst



K09506500457L	95,25	6,5	457	L	1"	5,85 kg/pst
K09506500457R	95,25	6,5	457	R	1"	5,85 kg/pst
K09506500482R	95,25	6,5	482	R	1"	6,17 kg/pst
K09506500508L	95,25	6,5	508	L	1"	6,51 kg/pst
K09506500508R	95,25	6,5	508	R	1"	6,51 kg/pst
K09506500535L	95,25	6,5	535	R	1"	6,85 kg/pst
K09506500564L	95,25	6,5	564	L	1"	7,22 kg/pst
K09506500564R	95,25	6,5	564	R	1"	7,22 kg/pst
K09506500627L	95,25	6,5	627	L	1"	8,03 kg/pst
K09506500627R	95,25	6,5	627	R	1"	8,03 kg/pst
K09506500697L	95,25	6,5	697	L	1"	8,93 kg/pst
K09506500697R	95,25	6,5	697	R	1"	8,93 kg/pst
K09506500900L	95,25	6,5	900	L	1"	11,53 kg/pst
K09506500900R	95,25	6,5	900	R	1"	11,53 kg/pst
K09506501300L	95,25	6,5	1300	L	1"	16,65 kg/pst
K09506501300R	95,25	6,5	1300	R	1"	16,65 kg/pst
K09507000523L	95,25	7,0	523	L	1"	7,25 kg/pst
K09507000523R	95,25	7,0	523	R	1"	7,25 kg/pst
K09507000551L	95,25	7,0	551	L	1"	7,64 kg/pst
K09507000580L	95,25	7,0	580	L	1"	8,04 kg/pst
K09507000580R	95,25	7,0	580	R	1"	8,04 kg/pst
K09507000612R	95,25	7,0	612	R	1"	8,48 kg/pst
K09507000645L	95,25	7,0	645	L	1"	8,94 kg/pst
K09507000645R	95,25	7,0	645	R	1"	8,94 kg/pst
K09507000680R	95,25	7,0	680	R	1"	9,43 kg/pst
K09507000717L	95,25	7,0	717	L	1"	9,94 kg/pst
K09507000717R	95,25	7,0	717	R	1"	9,94 kg/pst
K09507000798L	95,25	7,0	798	L	1"	11,06 kg/pst
K09507000798R	95,25	7,0	798	R	1"	11,06 kg/pst
K09507000889L	95,25	7,0	889	L	1"	12,32 kg/pst
K09507000889R	95,25	7,0	889	R	1"	12,32 kg/pst
K09507000991L	95,25	7,0	991	L	1"	13,74 kg/pst
K09507000991R	95,25	7,0	991	R	1"	13,74 kg/pst
K09507001200L	95,25	7,0	1200	L	1"	16,64 kg/pst
K09507001200R	95,25	7,0	1200	R	1"	16,64 kg/pst
K09507500583L	95,25	7,5	583	L	1"	8,70 kg/pst
K09507500583R	95,25	7,5	583	R	1"	8,70 kg/pst
K09507500648L	95,25	7,5	648	L	1"	9,67 kg/pst
K09507500648R	95,25	7,5	648	R	1"	9,67 kg/pst
K09507500683L	95,25	7,5	683	L	1"	10,19 kg/pst
K09507500720L	95,25	7,5	720	L	1"	10,75 kg/pst



K09507500720R	95,25	7,5	720	R	1"	10,75 kg/pst
K09507500760L	95,25	7,5	760	L	1"	11,34 kg/pst
K09507500801L	95,25	7,5	801	L	1"	11,96 kg/pst
K09507500801R	95,25	7,5	801	R	1"	11,96 kg/pst
K09507500846R	95,25	7,5	846	R	1"	12,63 kg/pst
K09507500892L	95,25	7,5	892	L	1"	13,31 kg/pst
K09507500892R	95,25	7,5	892	R	1"	13,31 kg/pst
K09507500994L	95,25	7,5	994	L	1"	14,84 kg/pst
K09507500994R	95,25	7,5	994	R	1"	14,84 kg/pst
K09507501108L	95,25	7,5	1108	L	1"	16,54 kg/pst
K09507501108R	95,25	7,5	1108	R	1"	16,54 kg/pst
K09507501235L	95,25	7,5	1235	L	1"	18,43 kg/pst
K09507501235R	95,25	7,5	1235	R	1"	18,43 kg/pst
K09507501400L	95,25	7,5	1400	L	1"	20,90 kg/pst
K09507501400R	95,25	7,5	1400	R	1"	20,90 kg/pst
K09507501700L	95,25	7,5	1700	L	1"	25,37 kg/pst
K09507501700R	95,25	7,5	1700	R	1"	25,37 kg/pst
K09508000709L	95,25	8,0	709	L	1"	11,34 kg/pst
K09508000709R	95,25	8,0	709	R	1"	11,34 kg/pst
K09508000788L	95,25	8,0	788	L	1"	12,61 kg/pst
K09508000788R	95,25	8,0	788	R	1"	12,61 kg/pst
K09508000877L	95,25	8,0	877	L	1"	14,03 kg/pst
K09508000877R	95,25	8,0	877	R	1"	14,03 kg/pst
K09508000925L	95,25	8,0	925	L	1"	14,80 kg/pst
K09508000976L	95,25	8,0	976	L	1"	15,61 kg/pst
K09508000976R	95,25	8,0	976	R	1"	15,61 kg/pst
K09508001030L	95,25	8,0	1030	L	1"	16,48 kg/pst
K09508001070R	95,25	8,0	1070	R	1"	17,12 kg/pst
K09508001087L	95,25	8,0	1087	L	1"	17,39 kg/pst
K09508001087R	95,25	8,0	1087	R	1"	17,39 kg/pst
K09508001148R	95,25	8,0	1148	R	1"	18,37 kg/pst
K09508001212L	95,25	8,0	1212	L	1"	19,39 kg/pst
K09508001212R	95,25	8,0	1212	R	1"	19,39 kg/pst
K09508001352L	95,25	8,0	1352	L	1"	21,63 kg/pst
K09508001352R	95,25	8,0	1352	R	1"	21,63 kg/pst
K09508001508L	95,25	8,0	1508	L	1"	24,13 kg/pst
K09508001508R	95,25	8,0	1508	R	1"	24,13 kg/pst
K09508001800L	95,25	8,0	1800	L	1"	28,80 kg/pst
K09508001800R	95,25	8,0	1800	R	1"	28,80 kg/pst
K09508500846L	95,25	8,5	846	L	1"	14,45 kg/pst



K09508500846R	95,25	8,5	846	R	1"	14,45 kg/pst
K09508500941L	95,25	8,5	941	L	1"	16,07 kg/pst
K09508500941R	95,25	8,5	941	R	1"	16,07 kg/pst
K09508501048L	95,25	8,5	1048	L	1"	17,90 kg/pst
K09508501048R	95,25	8,5	1048	R	1"	17,90 kg/pst
K09508501106R	95,25	8,5	1106	R	1"	18,89 kg/pst
K09508501168L	95,25	8,5	1168	L	1"	19,95 kg/pst
K09508501168R	95,25	8,5	1168	R	1"	19,95 kg/pst
K09508501215L	95,25	8,5	1215	L	1"	20,75 kg/pst
K09508501233R	95,25	8,5	1233	R	1"	21,06 kg/pst
K09508501302L	95,25	8,5	1302	L	1"	22,24 kg/pst
K09508501302R	95,25	8,5	1302	R	1"	22,24 kg/pst
K09508501377R	95,25	8,5	1377	R	1"	23,52 kg/pst
K09508501452L	95,25	8,5	1452	L	1"	24,80 kg/pst
K09508501452R	95,25	8,5	1452	R	1"	24,80 kg/pst
K09508501620L	95,25	8,5	1620	L	1"	27,67 kg/pst
K09508501620R	95,25	8,5	1620	R	1"	27,67 kg/pst
K09508501700L	95,25	8,5	1700	L	1"	29,04 kg/pst
K09508501700R	95,25	8,5	1700	R	1"	29,04 kg/pst
K09508501900L	95,25	8,5	1900	L	1"	32,45 kg/pst
K09508501900R	95,25	8,5	1900	R	1"	32,45 kg/pst
K09509000944L	95,25	9,0	944	L	1"	17,16 kg/pst
K09509000944R	95,25	9,0	944	R	1"	17,16 kg/pst
K09509001107L	95,25	9,0	1107	L	1"	20,12 kg/pst
K09509001107R	95,25	9,0	1107	R	1"	20,12 kg/pst
K09509001233L	95,25	9,0	1233	L	1"	22,41 kg/pst
K09509001233R	95,25	9,0	1233	R	1"	22,41 kg/pst
K09509001375L	95,25	9,0	1375	L	1"	24,99 kg/pst
K09509001375R	95,25	9,0	1375	R	1"	24,99 kg/pst
K09509001452L	95,25	9,0	1452	L	1"	26,39 kg/pst
K09509001533L	95,25	9,0	1533	L	1"	27,86 kg/pst
K09509001533R	95,25	9,0	1533	R	1"	27,86 kg/pst
K09509001711L	95,25	9,0	1711	L	1"	31,09 kg/pst
K09509001711R	95,25	9,0	1711	R	1"	31,09 kg/pst
K09509001800L	95,25	9,0	1800	L	1"	32,71 kg/pst
K09509001800R	95,25	9,0	1800	R	1"	32,71 kg/pst
K09509002000L	95,25	9,0	2000	L	1"	36,35 kg/pst
K09509002000R	95,25	9,0	2000	R	1"	36,35 kg/pst
K09509501151L	95,25	9,5	1151	L	1"	22,19 kg/pst
K09509501151R	95,25	9,5	1151	R	1"	22,19 kg/pst
K09509501283L	95,25	9,5	1283	L	1"	24,73 kg/pst



K09509501283R	95,25	9,5	1283	R	1"	24,73 kg/pst
K09509501430L	95,25	9,5	1430	L	1"	27,56 kg/pst
K09509501430R	95,25	9,5	1430	R	1"	27,56 kg/pst
K09509501595L	95,25	9,5	1595	L	1"	30,74 kg/pst
K09509501595R	95,25	9,5	1595	R	1"	30,74 kg/pst
K09509501664R	95,25	9,5	1664	R	1"	32,07 kg/pst
K09509501779L	95,25	9,5	1779	L	1"	34,29 kg/pst
K09509501779R	95,25	9,5	1779	R	1"	34,29 kg/pst
K09509501986L	95,25	9,5	1986	L	1"	38,28 kg/pst
K09509501986R	95,25	9,5	1986	R	1"	38,28 kg/pst
K09509502200L	95,25	9,5	2200	L	1"	42,40 kg/pst
K09509502200R	95,25	9,5	2200	R	1"	42,40 kg/pst
K09510001468L	95,25	10,0	1468	L	1"	29,93 kg/pst
K09510001468R	95,25	10,0	1468	R	1"	29,93 kg/pst
K09510001637L	95,25	10,0	1637	L	1"	33,37 kg/pst
K09510001637R	95,25	10,0	1637	R	1"	33,37 kg/pst
K09510001826L	95,25	10,0	1826	L	1"	37,22 kg/pst
K09510001826R	95,25	10,0	1826	R	1"	37,22 kg/pst
K09510002000L	95,25	10,0	2000	L	1"	40,77 kg/pst
K09510002000R	95,25	10,0	2000	R	1"	40,77 kg/pst
K15207500603L	152,4	7,5	603	L	1"	14,01 kg/pst
K15207500603R	152,4	7,5	603	R	1"	14,01 kg/pst
K15207500716L	152,4	7,5	716	L	1"	16,63 kg/pst
K15207500716R	152,4	7,5	716	R	1"	16,63 kg/pst
K15207500850L	152,4	7,5	850	L	1"	19,74 kg/pst
K15207500850R	152,4	7,5	850	R	1"	19,74 kg/pst
K15208000736L	152,4	8,0	736	L	1"	18,29 kg/pst
K15208000736R	152,4	8,0	736	R	1"	18,29 kg/pst
K15208000876L	152,4	8,0	876	L	1"	21,77 kg/pst
K15208000876R	152,4	8,0	876	R	1"	21,77 kg/pst
K15208001000L	152,4	8,0	1000	L	1"	24,85 kg/pst
K15208001000R	152,4	8,0	1000	R	1"	24,85 kg/pst
K15208001300L	152,4	8,0	1300	L	1"	32,31 kg/pst
K15208001300R	152,4	8,0	1300	R	1"	32,31 kg/pst
K15208001600L	152,4	8,0	1600	L	1"	39,77 kg/pst
K15208001600R	152,4	8,0	1600	R	1"	39,77 kg/pst
K15208500826L	152,4	8,5	826	L	1"	21,88 kg/pst
K15208500826R	152,4	8,5	826	R	1"	21,88 kg/pst
K15208500982L	152,4	8,5	982	L	1"	26,01 kg/pst
K15208500982R	152,4	8,5	982	R	1"	26,01 kg/pst



K15208501200L	152,4	8,5	1200	L	1"	31,79 kg/pst
K15208501200R	152,4	8,5	1200	R	1"	31,79 kg/pst
K15208501500L	152,4	8,5	1500	L	1"	39,74 kg/pst
K15208501500R	152,4	8,5	1500	R	1"	39,74 kg/pst
K15209000911L	152,4	9,0	911	L	1"	25,63 kg/pst
K15209000911R	152,4	9,0	911	R	1"	25,63 kg/pst
K15209000994L	152,4	9,0	994	L	1"	27,97 kg/pst
K15209000994R	152,4	9,0	994	R	1"	27,97 kg/pst
K15209001084L	152,4	9,0	1084	L	1"	30,50 kg/pst
K15209001084R	152,4	9,0	1084	R	1"	30,50 kg/pst
K15209001183L	152,4	9,0	1183	L	1"	33,28 kg/pst
K15209001183R	152,4	9,0	1183	R	1"	33,28 kg/pst
K15209001292L	152,4	9,0	1292	L	1"	36,35 kg/pst
K15209001292R	152,4	9,0	1292	R	1"	36,35 kg/pst
K15209001450L	152,4	9,0	1450	L	1"	40,80 kg/pst
K15209001450R	152,4	9,0	1450	R	1"	40,80 kg/pst
K15209001750L	152,4	9,0	1750	L	1"	49,24 kg/pst
K15209001750R	152,4	9,0	1750	R	1"	49,24 kg/pst
K15209002000L	152,4	9,0	2000	L	1"	56,27 kg/pst
K15209002000R	152,4	9,0	2000	R	1"	56,27 kg/pst
K15209500908L	152,4	9,5	908	L	1"	27,05 kg/pst
K15209500908R	152,4	9,5	908	R	1"	27,05 kg/pst
K15209500990L	152,4	9,5	990	L	1"	29,49 kg/pst
K15209500990R	152,4	9,5	990	R	1"	29,49 kg/pst
K15209501080L	152,4	9,5	1080	L	1"	32,17 kg/pst
K15209501080R	152,4	9,5	1080	R	1"	32,17 kg/pst
K15209501179L	152,4	9,5	1179	L	1"	35,12 kg/pst
K15209501179R	152,4	9,5	1179	R	1"	35,12 kg/pst
K15209501287L	152,4	9,5	1287	L	1"	38,34 kg/pst
K15209501287R	152,4	9,5	1287	R	1"	38,34 kg/pst
K15209501406L	152,4	9,5	1406	L	1"	41,89 kg/pst
K15209501406R	152,4	9,5	1406	R	1"	41,89 kg/pst
K15209501550L	152,4	9,5	1550	R	1"	46,18 kg/pst
K15209501550R	152,4	9,5	1550	R	1"	46,18 kg/pst
K15209501800L	152,4	9,5	1800	L	1"	53,62 kg/pst
K15209501800R	152,4	9,5	1800	R	1"	53,62 kg/pst
K15210000894L	152,4	10,0	894	L	1"	28,12 kg/pst
K15210000894R	152,4	10,0	894	R	1"	28,12 kg/pst
K15210000974L	152,4	10,0	974	L	1"	30,64 kg/pst
K15210000974R	152,4	10,0	974	R	1"	30,64 kg/pst



K15210001062L	152,4	10,0	1062	L	1"	33,41 kg/pst
K15210001062R	152,4	10,0	1062	R	1"	33,41 kg/pst
K15210001159L	152,4	10,0	1159	L	1"	36,46 kg/pst
K15210001159R	152,4	10,0	1159	R	1"	36,46 kg/pst
K15210001265L	152,4	10,0	1265	L	1"	39,79 kg/pst
K15210001265R	152,4	10,0	1265	R	1"	39,79 kg/pst
K15210001320L	152,4	10,0	1320	L	1"	41,52 kg/pst
K15210001381L	152,4	10,0	1381	L	1"	43,44 kg/pst
K15210001381R	152,4	10,0	1381	R	1"	43,44 kg/pst
K15210001508L	152,4	10,0	1508	L	1"	47,43 kg/pst
K15210001508R	152,4	10,0	1508	R	1"	47,43 kg/pst
K15210001650L	152,4	10,0	1650	L	1"	51,90 kg/pst
K15210001650R	152,4	10,0	1650	R	1"	51,90 kg/pst
K15210001775L	152,4	10,0	1775	L	1"	55,83 kg/pst
K15210001775R	152,4	10,0	1775	R	1"	55,83 kg/pst
K15210001900L	152,4	10,0	1900	L	1"	59,77 kg/pst
K15210001900R	152,4	10,0	1900	R	1"	59,77 kg/pst
K15210501126L	152,4	10,5	1126	L	1"	37,30 kg/pst
K15210501126R	152,4	10,5	1126	R	1"	37,30 kg/pst
K15210501228L	152,4	10,5	1228	L	1"	40,68 kg/pst
K15210501228R	152,4	10,5	1228	R	1"	40,68 kg/pst
K15210501340L	152,4	10,5	1340	L	1"	44,39 kg/pst
K15210501340R	152,4	10,5	1340	R	1"	44,39 kg/pst
K15210501463L	152,4	10,5	1463	L	1"	48,47 kg/pst
K15210501463R	152,4	10,5	1463	R	1"	48,47 kg/pst
K15210501598L	152,4	10,5	1598	L	1"	52,94 kg/pst
K15210501598R	152,4	10,5	1598	R	1"	52,94 kg/pst
K15210501750L	152,4	10,5	1750	L	1"	57,98 kg/pst
K15210501750R	152,4	10,5	1750	R	1"	57,98 kg/pst
K15210501900L	152,4	10,5	1900	L	1"	62,95 kg/pst
K15210501900R	152,4	10,5	1900	R	1"	62,95 kg/pst
K15211001250L	152,4	11,0	1250	L	1"	43,52 kg/pst
K15211001250R	152,4	11,0	1250	R	1"	43,52 kg/pst
K15211001405L	152,4	11,0	1405	L	1"	48,91 kg/pst
K15211001405R	152,4	11,0	1405	R	1"	48,91 kg/pst
K15211001534L	152,4	11,0	1534	L	1"	53,40 kg/pst
K15211001534R	152,4	11,0	1534	R	1"	53,40 kg/pst
K15211001675L	152,4	11,0	1675	L	1"	58,31 kg/pst
K15211001700L	152,4	11,0	1700	L	1"	59,18 kg/pst



K15211001700R	152,4	11,0	1700	R	1"	59,18 kg/pst
K15211001900L	152,4	11,0	1900	L	1"	66,15 kg/pst
K15211001900R	152,4	11,0	1900	R	1"	66,15 kg/pst
K15211501422L	152,4	11,5	1422	L	1"	51,91 kg/pst
K15211501422R	152,4	11,5	1422	R	1"	51,91 kg/pst
K15211501553L	152,4	11,5	1553	L	1"	56,70 kg/pst
K15211501553R	152,4	11,5	1553	R	1"	56,70 kg/pst
K15211501695L	152,4	11,5	1695	L	1"	61,88 kg/pst
K15211501695R	152,4	11,5	1695	R	1"	61,88 kg/pst
K15211501800L	152,4	11,5	1800	L	1"	65,71 kg/pst
K15211501800R	152,4	11,5	1800	R	1"	65,71 kg/pst
K15211502000L	152,4	11,5	2000	L	1"	73,02 kg/pst
K15211502000R	152,4	11,5	2000	R	1"	73,02 kg/pst
K15212001600L	152,4	12,0	1600	L	1"	61,14 kg/pst
K15212001600R	152,4	12,0	1600	R	1"	61,14 kg/pst
K15212001788L	152,4	12,0	1788	L	1"	68,32 kg/pst
K15212001788R	152,4	12,0	1788	R	1"	68,32 kg/pst
K15212001953L	152,4	12,0	1953	L	1"	74,63 kg/pst
K15212001953R	152,4	12,0	1953	R	1"	74,63 kg/pst
K15212002133L	152,4	12,0	2133	L	1"	81,50 kg/pst
K15212002133R	152,4	12,0	2133	R	1"	81,50 kg/pst
K15212002300L	152,4	12,0	2300	L	1"	87,89 kg/pst
K15212002300R	152,4	12,0	2300	R	1"	87,89 kg/pst
K15207500603L	152,4	7,5	603	L	1¼"	14,01 kg/pst
K15207500603R	152,4	7,5	603	R	1¼"	14,01 kg/pst
K15207500716L	152,4	7,5	716	L	1¼"	16,63 kg/pst
K15207500716R	152,4	7,5	716	R	1¼"	16,63 kg/pst
K15207500850L	152,4	7,5	850	L	1¼"	19,74 kg/pst
K15207500850R	152,4	7,5	850	R	1¼"	19,74 kg/pst
K15208000736L	152,4	8,0	736	L	1¼"	18,29 kg/pst
K15208000736R	152,4	8,0	736	R	1¼"	18,29 kg/pst
K15208000876L	152,4	8,0	876	L	1¼"	21,77 kg/pst
K15208000876R	152,4	8,0	876	R	1¼"	21,77 kg/pst
K15208001000L	152,4	8,0	1000	L	1¼"	24,85 kg/pst
K15208001000R	152,4	8,0	1000	R	1¼"	24,85 kg/pst
K15208001300L	152,4	8,0	1300	L	1¼"	32,31 kg/pst
K15208001300R	152,4	8,0	1300	R	1¼"	32,31 kg/pst
K15208001600L	152,4	8,0	1600	L	1¼"	39,77 kg/pst
K15208001600R	152,4	8,0	1600	R	1¼"	39,77 kg/pst



K15208500826L	152,4	8,5	826	L	1¼"	21,88 kg/pst
K15208500826R	152,4	8,5	826	R	1¼"	21,88 kg/pst
K15208500982L	152,4	8,5	982	L	1¼"	26,01 kg/pst
K15208500982R	152,4	8,5	982	R	1¼"	26,01 kg/pst
K15208501200L	152,4	8,5	1200	L	1¼"	31,79 kg/pst
K15208501200R	152,4	8,5	1200	R	1¼"	31,79 kg/pst
K15208501500L	152,4	8,5	1500	L	1¼"	39,74 kg/pst
K15208501500R	152,4	8,5	1500	R	1¼"	39,74 kg/pst
K15209000911L	152,4	9,0	911	L	1¼"	25,63 kg/pst
K15209000911R	152,4	9,0	911	R	1¼"	25,63 kg/pst
K15209000994L	152,4	9,0	994	L	1¼"	27,97 kg/pst
K15209000994R	152,4	9,0	994	R	1¼"	27,97 kg/pst
K15209001084L	152,4	9,0	1084	L	1¼"	30,50 kg/pst
K15209001084R	152,4	9,0	1084	R	1¼"	30,50 kg/pst
K15209001183L	152,4	9,0	1183	L	1¼"	33,28 kg/pst
K15209001183R	152,4	9,0	1183	R	1¼"	33,28 kg/pst
K15209001292L	152,4	9,0	1292	L	1¼"	36,35 kg/pst
K15209001292R	152,4	9,0	1292	R	1¼"	36,35 kg/pst
K15209001450L	152,4	9,0	1450	L	1¼"	40,80 kg/pst
K15209001450R	152,4	9,0	1450	R	1¼"	40,80 kg/pst
K15209001750L	152,4	9,0	1750	L	1¼"	49,24 kg/pst
K15209001750R	152,4	9,0	1750	R	1¼"	49,24 kg/pst
K15209002000L	152,4	9,0	2000	L	1¼"	56,27 kg/pst
K15209002000R	152,4	9,0	2000	R	1¼"	56,27 kg/pst
K15209500908L	152,4	9,5	908	L	1¼"	27,05 kg/pst
K15209500908R	152,4	9,5	908	R	1¼"	27,05 kg/pst
K15209500990L	152,4	9,5	990	L	1¼"	29,49 kg/pst
K15209500990R	152,4	9,5	990	R	1¼"	29,49 kg/pst
K15209501080L	152,4	9,5	1080	L	1¼"	32,17 kg/pst
K15209501080R	152,4	9,5	1080	R	1¼"	32,17 kg/pst
K15209501179L	152,4	9,5	1179	L	1¼"	35,12 kg/pst
K15209501179R	152,4	9,5	1179	R	1¼"	35,12 kg/pst
K15209501287L	152,4	9,5	1287	L	1¼"	38,34 kg/pst
K15209501287R	152,4	9,5	1287	R	1¼"	38,34 kg/pst
K15209501406L	152,4	9,5	1406	L	1¼"	41,89 kg/pst
K15209501406R	152,4	9,5	1406	R	1¼"	41,89 kg/pst
K15209501550L	152,4	9,5	1550	L	1¼"	46,18 kg/pst
K15209501550R	152,4	9,5	1550	R	1¼"	46,18 kg/pst
K15209501800L	152,4	9,5	1800	L	1¼"	53,62 kg/pst



K15209501800R	152,4	9,5	1800	R	1¼"	53,62 kg/pst
K15210000894L	152,4	10,0	894	L	1¼"	28,12 kg/pst
K15210000894R	152,4	10,0	894	R	1¼"	28,12 kg/pst
K15210000974L	152,4	10,0	974	L	1¼"	30,64 kg/pst
K15210000974R	152,4	10,0	974	R	1¼"	30,64 kg/pst
K15210001062L	152,4	10,0	1062	L	1¼"	33,41 kg/pst
K15210001062R	152,4	10,0	1062	R	1¼"	33,41 kg/pst
K15210001159L	152,4	10,0	1159	L	1¼"	36,46 kg/pst
K15210001159R	152,4	10,0	1159	R	1¼"	36,46 kg/pst
K15210001265L	152,4	10,0	1265	L	1¼"	39,79 kg/pst
K15210001265R	152,4	10,0	1265	R	1¼"	39,79 kg/pst
K15210001320L	152,4	10,0	1320	L	1¼"	41,52 kg/pst
K15210001381L	152,4	10,0	1381	L	1¼"	43,44 kg/pst
K15210001381R	152,4	10,0	1381	R	1¼"	43,44 kg/pst
K15210001508L	152,4	10,0	1508	L	1¼"	47,43 kg/pst
K15210001508R	152,4	10,0	1508	R	1¼"	47,43 kg/pst
K15210001650L	152,4	10,0	1650	L	1¼"	51,90 kg/pst
K15210001650R	152,4	10,0	1650	R	1¼"	51,90 kg/pst
K15210001775L	152,4	10,0	1775	L	1¼"	55,83 kg/pst
K15210001775R	152,4	10,0	1775	R	1¼"	55,83 kg/pst
K15210001900L	152,4	10,0	1900	L	1¼"	59,77 kg/pst
K15210001900R	152,4	10,0	1900	R	1¼"	59,77 kg/pst
K15210501126L	152,4	10,5	1126	L	1¼"	37,30 kg/pst
K15210501126R	152,4	10,5	1126	R	1¼"	37,30 kg/pst
K15210501228L	152,4	10,5	1228	L	1¼"	40,68 kg/pst
K15210501228R	152,4	10,5	1228	R	1¼"	40,68 kg/pst
K15210501340L	152,4	10,5	1340	L	1¼"	44,39 kg/pst
K15210501340R	152,4	10,5	1340	R	1¼"	44,39 kg/pst
K15210501463L	152,4	10,5	1463	L	1¼"	48,47 kg/pst
K15210501463R	152,4	10,5	1463	R	1¼"	48,47 kg/pst
K15210501598L	152,4	10,5	1598	L	1¼"	52,94 kg/pst
K15210501598R	152,4	10,5	1598	R	1¼"	52,94 kg/pst
K15210501750L	152,4	10,5	1750	L	1¼"	57,98 kg/pst
K15210501750R	152,4	10,5	1750	R	1¼"	57,98 kg/pst
K15210501900L	152,4	10,5	1900	L	1¼"	62,95 kg/pst
K15210501900R	152,4	10,5	1900	R	1¼"	62,95 kg/pst
K15211001250L	152,4	11,0	1250	L	1¼"	43,52 kg/pst
K15211001250R	152,4	11,0	1250	R	1¼"	43,52 kg/pst
K15211001405L	152,4	11,0	1405	L	1¼"	48,91 kg/pst



K15211001405R	152,4	11,0	1405	R	1¼"	48,91 kg/pst
K15211001534L	152,4	11,0	1534	L	1¼"	53,40 kg/pst
K15211001534R	152,4	11,0	1534	R	1¼"	53,40 kg/pst
K15211001675L	152,4	11,0	1675	L	1¼"	58,31 kg/pst
K15211001700L	152,4	11,0	1700	L	1¼"	59,18 kg/pst
K15211001700R	152,4	11,0	1700	R	1¼"	59,18 kg/pst
K15211001900L	152,4	11,0	1900	L	1¼"	66,15 kg/pst
K15211001900R	152,4	11,0	1900	R	1¼"	66,15 kg/pst
K15211501422L	152,4	11,5	1422	L	1¼"	51,91 kg/pst
K15211501422R	152,4	11,5	1422	R	1¼"	51,91 kg/pst
K15211501553L	152,4	11,5	1553	L	1¼"	56,70 kg/pst
K15211501553R	152,4	11,5	1553	R	1¼"	56,70 kg/pst
K15211501695L	152,4	11,5	1695	L	1¼"	61,88 kg/pst
K15211501695R	152,4	11,5	1695	R	1¼"	61,88 kg/pst
K15211501800L	152,4	11,5	1800	L	1¼"	65,71 kg/pst
K15211501800R	152,4	11,5	1800	R	1¼"	65,71 kg/pst
K15211502000L	152,4	11,5	2000	L	1¼"	73,02 kg/pst
K15211502000R	152,4	11,5	2000	R	1¼"	73,02 kg/pst
K15212001600L	152,4	12,0	1600	L	1¼"	61,14 kg/pst
K15212001600R	152,4	12,0	1600	R	1¼"	61,14 kg/pst
K15212001788L	152,4	12,0	1788	L	1¼"	68,32 kg/pst
K15212001788R	152,4	12,0	1788	R	1¼"	68,32 kg/pst
K15212001953L	152,4	12,0	1953	L	1¼"	74,63 kg/pst
K15212001953R	152,4	12,0	1953	R	1¼"	74,63 kg/pst
K15212002133L	152,4	12,0	2133	L	1¼"	81,50 kg/pst
K15212002133R	152,4	12,0	2133	R	1¼"	81,50 kg/pst
K15212002300L	152,4	12,0	2300	L	1¼"	87,89 kg/pst
K15212002300R	152,4	12,0	2300	R	1¼"	87,89 kg/pst



























